

BIORESOURCE PAPER

The Quebec Respiratory Health Network Biobank

Sabrina Biardel¹, Christine Racine¹, Yvan Fortier², Andrea Karen Mogas³, Émilie Maillé⁴, Emmanuelle Brochiero^{4,5}, François Maltais¹, Anne-Marie Lauzon^{3,6}, Sze Man Tse⁷, Catherine Laprise^{8,9}, Philippe Joubert¹, Éric Rousseau², Élyse Bissonnette¹, Michel Laviolette¹, Yohan Bossé^{1,10,*} and Simon Rousseau^{3,6,*}

¹ Institut universitaire de cardiologie et de pneumologie de Québec, Québec, CA

² Faculty of Medicine and Health Sciences, Université de Sherbrooke, Centre de Recherche du CHUS, Sherbrooke, Québec, CA

³ Meakins-Christie Laboratories, Research Institute of the McGill University Health Centre, Montréal, Québec, CA

⁴ Centre de recherche du Centre hospitalier de l'Université de Montréal (CRCHUM), Montréal, Québec, CA

⁵ Département de médecine, Université de Montréal, Montréal, Québec, CA

⁶ Department of Medicine, McGill University, Montréal, Québec, CA

⁷ Centre hospitalier universitaire Sainte-Justine, Montréal, Québec, CA

⁸ Département des sciences fondamentales, Université du Québec à Chicoutimi, Chicoutimi, Québec, CA

⁹ Centre de santé et de services sociaux du Saguenay, Chicoutimi, Québec, CA

¹⁰ Department of Molecular Medicine, Université Laval, Québec, CA

* Co-senior authors

Corresponding author: Simon Rousseau, Ph.D. (simon.rousseau@mcgill.ca)

The Quebec Respiratory Health Network (RHN) Biobank is a multi-site infrastructure located in the province of Quebec (Canada) to collect, store, and supply high-quality human biological specimens for research on respiratory diseases. The sample types are diverse (plasma, serum, buffy coat, primary lung cells, lung parenchyma, bronchial biopsies, polyps, others), disease-oriented, and mirror research activities conducted at each site. The biobank currently manages approximately 57,000 specimens from 8,000 research participants or patients treated by standard of care. Specimens' inventory and corresponding clinical data from all sites are denormalized and linked to a centralized database with retrieval and querying capabilities. Archival samples from recent to nearly 20-year collections are available to academic and industry researchers studying respiratory diseases.

Keywords: Respiratory health; biomedical research; precision medicine; genetics; biomarkers

Funding statement: The infrastructure is supported by the Quebec Respiratory Health Network (rsr.chus.qc.ca) of the *Fonds de la recherche du Québec – Santé* (FRQS), the research centers involved, local foundations and users of the biobank. Each biobank site is responsible to sustain their activities.

(1) Bioresource Overview

Project description

The Quebec RHN Biobank was initiated in the late 1990s by founder and visionary respirologist-researcher Dr. Michel Laviolette. The original goal was to facilitate, regulate and ensure optimal research use of human biological specimens in the field of respiratory medicine. The biobank was originally designed for local researchers at the *Institut universitaire de cardiologie et de pneumologie de Québec* (IUCPQ, Québec, Canada). Throughout the years with the help of the RHN of the *Fonds de la recherche du Québec – Santé* (FRQS), the biobank expanded into a province-wide collaborative biorepository that collects human biological materials for research in a wide range of respiratory diseases. The multi-site infrastructure is linked to a centralized database. A coordinating committee is in place to harmonize and standardize

specimen handling, technical best practices, data entry and management, as well as ethical and legal issues. Activities at each site vary with time owing to the level of interest of local researchers and evolving clinical workflows. As of today, the physical repository of the Quebec RHN Biobank is distributed across six sites (**Table 1**).

Biological specimens are from patients with different respiratory conditions including pediatric and adult asthma, lung cancer, chronic obstructive pulmonary disease (COPD), cystic fibrosis, lung transplant, sleep apnea, pulmonary arterial hypertension, interstitial lung diseases, and acute respiratory distress syndrome (ARDS), as well as healthy controls for selected specimens. A comprehensive set of clinical data is also available, tailored to each specific condition, and denormalized in the database. Researchers using this resource benefit from a well-established biobank

Table 1: Repository sites of the Quebec Respiratory Health Network Biobank.

Site	Recruitment	Years active	Current researchers in charge
Institut universitaire de cardiologie et de pneumologie de Québec (IUCPQ)	active	1998–ongoing	François Maltais Philippe Joubert
Centre de recherche du Centre hospitalier de l'Université de Montréal (CRCHUM)	active	2011–ongoing	Emmanuelle Brochiero
Meakins-Christie Laboratories	active	1998–ongoing	Simon Rousseau Anne-Marie Lauzon
Université du Québec à Chicoutimi (UQAC)	active	2005–ongoing	Catherine Laprise
Centre hospitalier universitaire de Sherbrooke (CHUS)	inactive	1998–2006	NA
Centre hospitalier universitaire Sainte-Justine (CHUSJ)	development	2017–ongoing	Sze Man Tse

network that uses a common and stringent set of procedures allowing a quick access to rare samples needed in specific research fields (e.g. molecular anomalies in pulmonary arterial hypertension), as well as a large number and volume of samples in other fields (e.g. genomics). The maturity and size of sample collections vary by medical conditions. The different collections are built with the long term vision to allow world-class research [1–5]. The Quebec RHN Biobank is also a flexible and dynamic infrastructure that can meet specific user needs for the academic, biotechnology and pharmaceutical sectors including prospective studies.

The performance of the Quebec RHN Biobank has increased progressively throughout the years, which is tracked by annual reports generated by each site. The samples and clinical data from the biobank are now contributing to roughly 20 scientific manuscripts per year and fuel more than 50 ongoing research projects.

Classification (1)

Human.

Species

Homo Sapiens.

Classification (2)

Biological samples and associated data for epidemiological, biological and genetic research in respiratory health.

Context

Spatial coverage

The Quebec RHN Biobank is a multi-site infrastructure located in the province of Québec, Canada. Participants and samples are from six centers located in four cities (latitude and longitude coordinates are provided):

- 1) Institut universitaire de cardiologie et de pneumologie de Québec (IUCPQ), Québec City (46.778392, -71.297093).
- 2) Meakins-Christie Laboratories at the Research Institute of the McGill University Health Centre (RI-MUHC), Montréal (45.473125, -73.600681).
- 3) Centre de Recherche du Centre Hospitalier Universitaire de Montréal (CRCHUM), Montréal (45.510832, -73.555723).

- 4) Université du Québec à Chicoutimi (UQAC), Chicoutimi (48.4199, -71.052188).
- 5) Centre hospitalier universitaire Sainte-Justine (CHUSJ), Montréal (45.503219, -73.623916).
- 6) Centre hospitalier universitaire de Sherbrooke (CHUS), Sherbrooke (45.445704, -71.865186).

Temporal coverage

The biological specimen collections were initiated at different time. **Figure 1** shows the initial year of sample collection as well as the cumulative number of patients (left panel) and samples (right panel) by respiratory condition. The first collection was established in 1996 to procure bronchial biopsies from patients with asthma. Throughout the years, the types of samples collected have diversified. In 1999, the acquisition of tumor and non-tumor lung specimens from lung cancer resection started. Other collections were established in 2001 for COPD and sleep apnea, 2007 for pulmonary arterial hypertension, 2008 for lung transplant and cystic fibrosis, and 2010 for interstitial lung diseases. The recruitment of most of these collections is still ongoing. The rate of recruitment varies among collections based on the frequency of the diseases and the level of interest of researchers involved. For example, the rate of lung tissue acquisition from lung cancer resection has progressively increased with time and we are now collecting samples from 350–400 new patients annually.

Temporal coverage for accessibility

The Quebec RHN Biobank is building on a vision to sustain the infrastructure in perpetuity. The samples and corresponding clinical data are kept as long as they are of scientific interest, but for a maximum duration of twenty-five years as per the consent form. However, at the end of this period, members of the biobank committee have the option to request an extension of accessibility through the research ethics committees of the affiliated centers.

(2) Methods

The acquisition of biological specimens in the Quebec RHN Biobank follows different biobanking collection strategies. In one typical acquisition strategy, called the *biobank strategy*, samples of potential interest are stored until needed




Figure 1: Cumulative number of patients (left panel) and samples (right panel) by medical condition in the Quebec Respiratory Health Network Biobank. COPD: Chronic obstructive pulmonary disease, ILD: Interstitial lung diseases, PAH: Pulmonary arterial hypertension.

and are not associated to any specific projects. In the *prospective collection strategy*, samples are collected to meet the requirements for a specific project or investigator(s). The collection of the Quebec City Case-Control Asthma Cohort [6, 7] is an example of this prospective collection model. Finally, the third collection strategy is the *clinical trial strategy*, where samples are collected from clinical trials. In this scenario, samples are usually obtained exclusively for a specific clinical trial, but additional or residual tissues may become available for biobanking according to the *biobank strategy* provided that the original consent allows secondary use. It should also be emphasized that the biobank staff is open to evaluate the feasibility of new sample processing requirements to meet the need of specific projects including prospective studies.

Steps

Patients receiving care or research participants at each site are invited to sign the consent form to contribute data and samples to the Quebec RHN Biobank. Blood derived specimens are collected by qualified nurses. Tissues derived from surgeries are collected by pathologists, predominantly from excess tissue not required for diagnosis. Other types of tissues (e.g. bronchial biopsies) are obtained in bronchoscopy by respirologists. The samples collected are then processed by dedicated biobanking staff based on standardized protocols for collection, handling and storage. For each participant, an electronic form is filled, which includes general and disease-specific clinical information, dates of acquisition as well as information concerning sample processing, i.e. identification code, quantity, location of storage, and type of preparation. Electronic data from all sites are entered in a centralized database. A management framework of the Quebec RHN Biobank is approved by the ethics committees of each site and reviewed annually. This framework provides a description of the biobank, ethical principles, measures

to assure privacy, administrative management structure, data and database management, as well as rules and procedures of access for researchers.

Stabilization/preservation

Stabilization and preservation are specific to the type of tissues collected. **Table 2** describes the types of biological specimens available and corresponding stabilization/preservation methods.

Type of long-term preservation

The biological samples are frozen and preserved in OCT (optimal cutting temperature), cryovial, liquid nitrogen tanks or in FFPE (formalin-fixed and paraffin-embedded) (**Table 2**).

Storage temperature

Most types of biological samples are stored in monitored ultra-low temperature freezers equipped with alarms and back-up energy supply (**Table 2**). Primary lung cell lines are conserved at -150°C in freezers or at -196°C in liquid nitrogen tanks. In case of electrical failure, a generator will take over and maintain the ideal temperature for adequate preservation of samples. Security will respond to the alarm and call the person in charge printed on the front door of the freezers.

Shipping temperature from patient/source to preservation or research use

The biobank sites are located in hospitals specialized in respiratory diseases and biological specimens are stored on-site. On rare occasions, biological specimens can be collected at one site and stored at a second site. In such cases, samples are shipped in dry ice for frozen samples or room temperature for others. The transfer of fresh tissues for isolation of primary cells from the patient source to the biobank repository is carried out on ice. Procedures

Table 2: Stabilization, preservation and storage of biological samples.

Type of samples	Stabilization/preservation	Type of long-term preservation	Storage temperature
Serum	Tubes are plain VACUTAINER® containing no anticoagulant	Cryotube aliquots in ultra-low temperature freezers	-80°C
Plasma	Tubes with spray-coated K ₂ EDTA	Cryotube aliquots in ultra-low temperature freezers	-80°C
Buffy coat	Tubes with spray-coated K ₂ EDTA	Cryotube aliquots in ultra-low temperature freezers	-80°C
Tissue: Bronchial biopsies	10% neutral buffered formalin 4% formaldehyde solution	Paraffin Embedded	Room temperature
Muscle biopsies Nasal polyp Nasal mucosa	Tissue microarrays (TMA)		
Non-tumor and Tumor lung Parenchyma	OCT: Embedding medium for frozen tissue specimens	Ultra-low temperature freezers	-80°C
Mucus	Snap frozen in liquid nitrogen	Ultra-low temperature freezers	-80°C
Uvula	Glycol Methacrylate (GMA) embedding medium	Freezers	-20°C
Tissue from lung transplant Trachea			
Induced sputum supernatants	With or without antiprotease	Cryotube aliquots in ultra-low temperature freezers	-80°C
Bronchoalveolar lavages supernatants	With or without antiprotease	Cryotube aliquots in ultra-low temperature freezers	-80°C
DNA	DNA is eluted in Buffer AE, Qiagen	Cryotube aliquots in ultra-low temperature freezers	-80°C
RNA	RNA is eluted in RNase-free water	Cryotube aliquots in ultra-low temperature freezers	-80°C
Lung primary cell cultures	DMSO	Liquid nitrogen tanks	-150°C -196°C

are in place at each site for the packaging and transport of ambient temperature and frozen biospecimens to ensure their integrity and safety. This includes packaging specifications to maintain appropriate temperature conditions (wet ice, dry ice, and liquid nitrogen handling), shipment regulations for hazardous materials, shipment logs, delivery notifications, and confirmation of delivery.

Shipping temperature from storage to research use

Biological specimens are shipped on dry ice or at room temperature depending on the storage temperature.

Quality assurance measures

The Quebec RHN Biobank is a member of the Canadian Tumor Repository Network (CTRNet) as well as the International Society for Biological and Environmental Repositories (ISBER). The Quebec RHN Biobank adheres to the best practices set forward by these organizations in terms of sample collection, preservation, storage, and distribution. The quality assurance of biological specimens is directly related to the application of the management guide and the content of the procedures manual, which consists of a description of a set of methods concerning personnel, equipment, techniques, and documentation. This includes compliance with Good Laboratory Practice (GLP), clinical practice based on the International Conference on Harmonization (ICH), approved technical

protocols, training of personnel, controlled access to facilities, efficient and well-maintained equipment, and security for temperature and fire. This guarantees that the samples are prepared and preserved to ensure optimal research use. Procedures are in place throughout the whole process including consent, collection, handling, preservation, storage, distribution, and transport. Steps involved in the tissue collection are thoroughly coordinated to decrease time between the point of acquisition and storage. For example, the time from surgical removal to storage is less than 30 minutes for the lung cancer collection. Quality standards of tissues are also reviewed by pulmonary pathologists. Finally, quality assurance on samples is also performed iteratively from the results of a large number of projects using the specimens. Feedback from users are consistently taken into account to modify or fine-tune our methods.

Source of associated data

Biological specimens are thoroughly annotated and associated clinical data are tailored to each respiratory condition. The source of data depends on the biobanking collection strategies described above (biobank, prospective collection, and clinical trial strategies). Accordingly, the source of data can come from a specific research protocol or directly from the medical records of patients treated by standard of care. Trained staff at each site extracts clinical

data from these sources and ensure data entry manually using electronic forms specific for each respiratory condition. Data are then stored in a centralized database. For the cystic fibrosis collection at the CRCHUM, clinical data are also entered into the Canadian CF Registry.

Ethics Statement

The main ethical principle that governs the Quebec RHN Biobank is respect for human rights with regard to physical integrity, cultural and spiritual values, and dignity. The highest ethical and scientific standards are applied. The samples come from voluntary donations and all participants provide written informed consent. Donors' privacy and the confidentiality of data are preserved at all times. A unified informed consent for adult is shared across sites, but adapted to the needs of each site and specific ethical approvals. The consent allows the use of samples for biomedical and genetic research from academic and industry researchers. For one site (CHUSJ), the consent is intended for minors and also allows health and genetic research for academic and industry researchers.

Constraints

Use of samples and data are limited to research in respiratory diseases. The samples for some collections are exclusive to the investigator(s) in charge and in this scenario; access may be possible through research collaboration only.

(3) Bioresource description

Object name

The Quebec Respiratory Health Network Biobank

Bioresource name

The Quebec Respiratory Health Network Biobank

Bioresource location

The biological repositories are located at six sites. Each site stores a unique part of the biobank (no duplicate samples across sites).

- 1) Institut universitaire de cardiologie et de pneumologie de Québec (IUCPQ), 2725 chemin Sainte-Foy, Québec (Québec), Canada, G1V 4G5.
- 2) Meakins-Christie Laboratories at the Research Institute of the McGill University Health Centre (RI-MUHC), Cntr Trans Biol (CTB), Block E, Rm M3. EM32217, 1001 Decarie Blvd., Montréal (Québec), Canada, H4A 3J1.
- 3) Centre de Recherche du Centre Hospitalier Universitaire de Montréal (CRCHUM), Montréal (Québec), Canada.
- 4) Université du Québec à Chicoutimi (UQAC), 555, boulevard de l'Université, Chicoutimi (Québec), Canada, G7H 2B1.
- 5) Centre hospitalier universitaire Sainte-Justine (CHUSJ), 3175, Chemin de la Côte-Sainte-Catherine, Montréal (Québec), Canada, H3T 1C5.
- 6) Centre hospitalier universitaire de Sherbrooke (CHUS), 3001, 12^e Avenue Nord, Sherbrooke (Québec), Canada, J1H 5N4.

Bioresource contact

E-mail: Sabrina.Biardel@criucpq.ulaval.ca

Bioresource URL

Web (English): tissuebank.ca

Web (French): biobanque.ca

Identifier used

An example of sample identifier is "IAP 01578-15". The first letter corresponds to the respiratory condition (e.g. asthma, COPD) of the patient. The second letter is the type of sampling (e.g. aliquot, slide) and the third letter is the type of sample (e.g. induced sputum, blood). In the above example, we have a patient with interstitial lung diseases (I) for which we have collected an aliquot (A) of plasma (P). The following five digits number is automatically generated by the central server. Finally, the last two digits indicate the year the sample was collected (2015 in the above example). This seven digits number connects each sample to a site. Accordingly, the origin of samples can be traced without access to sensitive data from the participants. A unique number across all sites is also convenient to manage inventory.

All information concerning the identity of the participants is stored in the private section of the database. Each site has its own private section and is responsible for the information contained therein. Mechanisms of security are in place to keep the information confidential. Information in the private section of one site cannot be consulted by other sites. The shared database is housed on a web server and is accessible to authorized personnel only. Credentials are needed (user ID and password) to access the shared database. The shared database contains descriptive information related to the participants (e.g. age, gender, weight, medication, pulmonary function) and their respective samples (e.g. quantity, type of preparation, location of storage). The shared database is denormalized. The link between the nominal and descriptive information is a unique ID number for each subject. This number can be used to trace back the original donor, but only the coordinators at each site can make this link.

Bioresource type

Respiratory diseases including pediatric and adult asthma, lung cancer, COPD, cystic fibrosis, lung transplant, sleep apnea, pulmonary arterial hypertension, interstitial lung diseases, and ARDS.

Type of sampling

Samples can be obtained in the context of clinical care (e.g. lung cancer resection) of patients treated for various respiratory diseases at different hospitals in the province of Québec. Samples can also be acquired through participation to specific research protocols or clinical trials requiring tissue sampling.

Anatomical site

Most samples are from the lungs, airways, and blood. However, samples from the nose, trachea, quadriceps, uvula, esophagus, thymus and heart ventricle are also available for research in respiratory diseases.

Disease status of patients/source

Pediatric and adult asthma, lung cancer, COPD, cystic fibrosis, lung transplant, sleep apnea, pulmonary arterial hypertension, interstitial lung diseases, and ARDS.

Clinical characteristics of patients/source

Clinical characteristics relevant to each medical condition are collected. **Table 3** shows an overview of clinical data available.

Size of the bioresource

Table 4 indicates the number of subjects and samples by respiratory condition.

Vital state of patients/source

Post-surgery and long-term outcome including vital status and relapse are available for the lung cancer collection. Vital status is also available for pulmonary arterial hypertension and interstitial lung diseases. Some postmortem samples are also available.

Clinical diagnosis of patients/source

Pediatric and adult asthma, lung cancer, COPD, cystic fibrosis, lung transplant, sleep apnea, pulmonary arterial hypertension, interstitial lung diseases, and ARDS.

Table 3: Clinical data collected by respiratory condition.

	Asthma	Lung cancer	COPD	Cystic fibrosis	Pulmonary hypertension	Interstitial diseases	ARDS
Subject biobank ID #							
Gender							
Ethnicity							
Age at time of visit							
Height							
Weight							
BMI							
Death							
Visit type							
Date of visit							
Study name (if applicable)							
Version of consent form							
Smoking history							
Type of subject (tailored to each specific condition)							
Allergy (yes or no and details on respiratory allergens)							
Age of onset							
Year of diagnosis							
Other diseases							
Pulmonary function testing							
Blood tests (tailored to each specific condition)							
Medical tests (tailored to each specific condition)							
Medication							
Date of surgery							
Investigation							
Pathology							
Postoperative follow-up							

Grey shaded areas indicate that data are available.

Table 4: The number of subjects and samples by medical condition.

	# subjects	# samples
Asthma	2540	17701
Lung cancer	3712	29165
COPD	510	6715
Cystic fibrosis	335	409
Lung transplant	34	26
Sleep apnea	50	255
Pulmonary arterial hypertension	483	2237
Interstitial lung diseases	244	545
Total	7908	57053

Pathology diagnosis

The full pathology report is available for the lung cancer collection as well as for some patients with interstitial lung diseases. Pathological report is also available for specimens collected during autopsies for patients with interstitial lung diseases and pulmonary arterial hypertension. For the lung cancer collection, pathologic classification and staging is updated according to the classification of lung tumors from the World Health Organization and the lung cancer staging project from the International Association for the Study of Lung Cancer (IASLC).

Control samples

Control samples are not systematically collected as part of the biobank. However, some control samples are available for the majority of respiratory conditions. For examples, nasal polyps from participants with or without cystic fibrosis are collected and bronchial biopsies from patients with or without asthma. Moreover, some research protocols require the collection of control samples, e.g. the Quebec City Case-Control Asthma Cohort [6, 7]. Trachea, bronchi, and parenchyma samples from lung donor are also collected during lung transplantation. Non-tumor lung samples from lung cancer resection are available for most patients.

Biospecimen type

Whole blood, serum, plasma, buffy coat, DNA, RNA, non-tumor lung parenchyma, lung tumor, bronchial biopsies, muscle biopsies, sputum, nasal polyp, nasal mucosa, bronchoalveolar lavage, uvula, bronchus, bronchioles, mucus, trachea, and lung primary cell cultures (**Table 2**).

Release date

N/A

Access criteria

Samples are available to academic, biotechnology, and pharmaceutical researchers following requests that are approved by the scientific and ethics committees. The following steps are recommended for samples and data request.

- 1) Requestors can send an email to the biobank contact to check for tissue and data availability. It is important to specify the type of respiratory disease (asthma, cystic fibrosis, etc.), biological specimens (serum, lung tumor, etc.) and sample size needed.
- 2) The biobank staff will evaluate tissue availability and feasibility of the project, and may propose alternatives as needed. Collaboration with local researchers may also be proposed.
- 3) The biobank will provide an estimate of costs associated with the samples and clinical data.
- 4) Requestor must then provide a research protocol and documentation confirming ethics approval from his/her own institution.
- 5) The research protocol must also receive approval from the scientific and ethics committees that oversee the specific biobank site.
- 6) The biobank will then provide a quote and the biological material transfer (MTA) agreement.
- 7) Once the MTA is signed by both parties, the biological materials and data will be sent to the requestor.

(4) Reuse potential

Biological specimens and corresponding clinical data may be reused according to the access criteria described above. Approval of submitted projects depends on samples and data availability. Samples and clinical data from a single donor can be used for different projects. For example, if DNA is extracted from samples, residual samples are kept for new projects that will go through the same access criteria. Data/results generated by researchers using the samples do not need to be returned at the Quebec RHN Biobank. However, researchers must return any material that will not be used for the accepted project and are not allowed to use residual samples for other purposes. For some collections, research collaboration agreement needs to be established between the requestor(s) and investigator(s) in charge. Partnerships with academic and commercial entities to co-develop companion diagnostics, biomarkers or others are welcome.

Acknowledgements

We are thankful to individuals that generously donate their biological specimens to the Quebec RHN Biobank of the *Fonds de la recherche du Québec – Santé* (FRQS). The authors would like to recognize the contribution of devoted research and clinical staff, nurses, respirologists, pathologists and surgeons at the different institutions for recruiting patients and collecting data. We are also grateful to the dedicated research staff at the Quebec RHN Biobank for storing of biological materials and continuously updating the clinical database. Throughout the years, the Quebec RHN Biobank has benefited from the expertise of individuals at the different biobank sites. In particular, we want to recognize the contribution of Drs. Pasquale Ferraro, Martin Desrosiers, Christian Couture, Massimo Conti, Paula Ugalde, Ron Olivenstein, Qutayba Hamid and Ms. Cathy Fugère. Finally, we thank the research offices of participating institutions, the *Fondation de l'Institut universitaire de cardiologie et de pneumologie de Québec*,

the Thoracic Surgery Research Foundation of Montreal, and Cystic Fibrosis Canada for supporting the biobank infrastructure.

Competing Interests

The authors have no competing interests to declare.

Author Roles

Sabrina Biardel	Coordinator of the Quebec RHN Biobank.
Christine Racine Yvan Fortier	Biobank manager at the IUCPQ. Database manager and Éric Rousseau is responsible for the database at the <i>Laboratoire de Télématique Biomédicale</i> (LTB) – CHUS.
Andrea Karen Mogas	Biobank manager at RI-MUHC/Meakins-Christie Laboratories.
Émilie Maillé	Biobank manager at the CRCHUM.
Emmanuelle Brochiero	Researcher in charge at the CRCHUM.
Anne-Marie Lauzon	Researcher in charge at the RI-MUHC/Meakins-Christie Laboratories.
François Maltais and Philippe Joubert Sze Man Tse	Researchers in charge at the IUCPQ. Researcher in charge at the CHU Sainte-Justine.
Catherine Laprise Élyse Bissonnette	Researcher in charge at UQAC. Director of the Quebec RHN and oversees the activities of the biobank.
Michel Laviolette	Founder and past Director of the Quebec RHN Biobank.
Yohan Bossé	Previous Director of the Quebec RHN Biobank and largely contributed to this manuscript.
Simon Rousseau	Director of the Quebec RHN Biobank.

References

1. **Bossé, Y, Postma, DS, Sin, DD, Lamontagne, M, Couture, C, Gaudreault, N,** et al. 2012. Molecular signature of smoking in human lung tissues. *Cancer Res*, 72(15): 3753–63. DOI: <https://doi.org/10.1158/0008-5472.CAN-12-1160>
2. **Hao, K, Bossé, Y, Nickle, DC, Pare, PD, Postma, DS, Laviolette, M,** et al. 2012. Lung eQTLs to Help Reveal the Molecular Underpinnings of Asthma. *PLoS Genet*, 8(11): e1003029. DOI: <https://doi.org/10.1371/journal.pgen.1003029>
3. **Morin, C, Sirois, M, Echave, V, Albadine, R and Rousseau, E.** 2010. 17, 18-epoxyeicosatetraenoic acid targets PPARgamma and p38 mitogen-activated protein kinase to mediate its anti-inflammatory effects in the lung: Role of soluble epoxide hydrolase. *Am J Respir Cell Mol Biol*, 43(5): 564–75. DOI: <https://doi.org/10.1165/rcmb.2009-0155OC>
4. **Ruffin, M, Bilodeau, C, Maille, E, LaFayette, SL, McKay, GA, Trinh, NT,** et al. 2016. Quorum-sensing inhibition abrogates the deleterious impact of *Pseudomonas aeruginosa* on airway epithelial repair. *FASEB journal: Official publication of the Federation of American Societies for Experimental Biology*, 30(9): 3011–25. DOI: <https://doi.org/10.1096/fj.201500166R>
5. **Trinh, NT, Bilodeau, C, Maille, E, Ruffin, M, Quintal, MC, Desrosiers, MY,** et al. 2015. Deleterious impact of *Pseudomonas aeruginosa* on cystic fibrosis transmembrane conductance regulator function and rescue in airway epithelial cells. *Eur Respir J*, 45(6): 1590–602. DOI: <https://doi.org/10.1183/09031936.00076214>
6. **Lavoie-Charland, E, Berube, JC, Boulet, LP and Bossé, Y.** 2016. Asthma susceptibility variants are more strongly associated with clinically similar subgroups. *J Asthma*, 53(9): 907–13. DOI: <https://doi.org/10.3109/02770903.2016.1165699>
7. **Lavoie-Charland, E, Bérubé, JC, Laviolette, M, Boulet, LP and Bossé, Y.** 2013. Multivariate asthma phenotypes in adults: The Quebec City Case-Control Asthma Cohort. *Open Journal of Respiratory Diseases*, 3: 133–42. DOI: <https://doi.org/10.4236/ojrd.2013.34021>

How to cite this article: Biardel, S, Racine, C, Fortier, Y, Mogas, AK, Maillé, É, Brochiero, E, Maltais, F, Lauzon, A-M, Tse, SM, Laprise, C, Joubert, P, Rousseau, É, Bissonnette, É, Laviolette, M, Bossé, Y and Rousseau, S. 2018. The Quebec Respiratory Health Network Biobank. *Open Journal of Bioresources* 5: 13. DOI: <https://doi.org/10.5334/ojb.39>

Published: 31 December 2018

Copyright: © 2018 The Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC-BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See <http://creativecommons.org/licenses/by/4.0/>.